


TWO STEPS TO CHOOSE THE RIGHT FILM:

1. Confirm the chemical compatibilities using the chart below.
2. Confirm the transmittance using the second chart below.

ORDERING INFORMATION

Chemical Classification	Mylar®	Polycarbonate	Polypropylene	Prolene®
Acid, Weak or Dilute	G	G	E	G
Acid, Concentrated	G	G	E	E
Alcohols, Aliphatic	N	G	E	E
Aldehydes	U	F	E	E
Alkalies, Concentrated	N	N	E	E
Esters	N	N	G	G
Ethers	F	N	N	N
Hydrocarbons, Aliphatic	G	N	G	G
Hydrocarbons, Aromatic	F	N	F	F
Hydrocarbons, Halogenated	F	N	N	N
Ketones	N	N	G	G
Oxidizing Agents	F	N	F	F

E - Excellent G - Good F - Fair N - Not Recommended U - Unknown



Transmission Properties of Various Thin Film Materials and Gauges

CORPORATE HEADQUARTERS

Phone: +1 (514) 457-0701
Fax: +1 (514) 457-4499

CANADA / USA

Phone: +1 (800) 361-6820
Fax: +1 (800) 253-5549

FRANCE

Phone: +33 (0) 1 69 18 71 17
Fax: +33 (0) 1 60 92 05 67

GERMANY

Phone: +49 (0) 8342-89560-61
Fax: +49 (0) 8342-89560-69

UK

Phone: +44 (0) 7561-7028-90
Phone: +44 (800) 368 6147