OPALMIST PFA NEBULIZER



Ultra-Trace Analysis

When carrying out ultra-trace analysis, especially by ICP-MS, the risk of contamination must be minimized. The high purity of the PFA material used to make the OpalMist nebulizer provides the exceptionally low background necessary for ultra-trace determinations.

Highly Corrosive Samples

The totally inert construction of the OpalMist PFA nebulizer enables it to easily handle even the most corrosive samples, such as those containing high levels of hydrofluoric acid (HF) or reactive organic solvents. The OpalMist is also capable of aspirating high concentrations of dissolved solids (typically up to 15%) without clogging. This makes the OpalMist the ideal nebulizer to handle geochemical samples which are typically dissolved in HF and are high in dissolved solids.

Other features of the OpalMist are:

- Excellent sensitivity the small mean droplet size of the OpalMist increases transport efficiency without increasing noise.
- Excellent precision and long-term stability.
- Strong and consistent self-aspiration available with natural uptake rates of 0.01, 0.05, 0.1, 0.2, 0.4, 0.6, 1 and 2mL/min. Self-aspiration eliminates the need for peristaltic pump tubing, a potential source of contamination.
- Suitable for all ICP-MS and ICP-OES models.
- The exacting quality and reproducibility standards you have come to expect from Glass Expansion.

INTERNATIONAL

Glass Expansion • 15 Batman Street • West Melbourne • Vic 3003, Australia Telephone: +61 3 9320 1111 • Toll Free (Aust): 1800 777 638 Facsimile: +61 3 9320 1112 • Email: enquiries@geicp.com

AMERICAS

Glass Expansion • 4 Barlows Landing Road • Unit 2A • Pocasset, MA 02559, USA

Telephone: 508 563 1800 • Toll Free (US): 800 208 0097 Facsimile: 508 563 1802 • Email: geusa@geicp.com

